



## BEDFORD COUNTY RESIDENTIAL PLAN REVIEW INFORMATION

A <u>Building Permit</u> is required for any new structure, addition, expansion or alteration to an existing structure including accessory structures over 256sq/ft.

One complete set of plans must be submitted for review for any new structure or addition. Exception: (1). Unenclosed decks. (2). Accessory structures not exceeding 256sq/ft. in floor area. Plans submitted will be reviewed for compliance with the Virginia Residential Code. Failure to provide all of the requested information may result in a delay of your approval. The plans must contain the following:

Applicant's Initials	
and the state of the state of the	Footing details indicating width, thickness and frost line protection.
	Foundation details indicating material, size, height, exterior grade, location of interior bearing walls or piers and foundation drains.
<u> </u>	Elevations depicting stories above grade, finished grade and wall covering.
	Details of girder(s) and beams, floor, wall and roof framing.
	Indicate ventilation provided for roof and crawl spaces.
	Identify tempered, safety window glazing in hazardous locations.
	Specify emergency egress locations and sizes for bedrooms and basements.
***	Include total square footages, room designations, sizes, basements and garages.
	Indicate proper garage / dwelling separation.
	Provide stair details to include width, tread depth, riser height and head clearance.
	Provide details and height of handrail and guardrail assemblies.
	Indicate sizes and construction types of porches and decks.
	Include details of fireplaces, hearths and flues, both masonry and manufactured.
	Specify R-value and type of insulation provided in floor, wall and roof assemblies.
APPLICANT'S NAME: CONTACT #:	
PLAN #:	DATE:





## ONE STORY on SLAB Roof Pitch \_\_\_\_\_/12 Roof Covering Ridge Sheathing \_\_\_\_\_ Trusses \_\_\_\_\_ 2x Rafters "O.C., \_\_\_\_ Span Insulation - 2x \_\_\_\_ Ceiling Joists \_\_\_\_\_" O.C., \_\_\_\_ Span – 2x \_\_\_\_\_ Headers, \_\_\_\_\_ Span What Size and Interior Finish \_\_\_ Type of Girder Exterior Wall Covering R-\_\_\_\_\_Insulation Post Spacing - Finish Siding Structural Sheathing \_\_\_\_\_\_ Pier Sizes Ceiling Height 2x \_\_\_\_\_ Studs \_\_\_\_\_ " O.C. Anchor Bolts \_\_\_\_6\_' O.C. and at Corners Slab (4" min.) Framing Clearance To Grade \_\_\_\_\_" 6 mm plastic Finish Grade 18" minimum Depth A Width